

# ActivityResourceAssignmentService

Handles Activity Resource Assignments for Integration Options  
Version: 1  
BasePath: /int/ifsapplications/projection/v1/ActivityResourceAssignmentService.svc  
All rights reserved  
<http://apache.org/licenses/LICENSE-2.0.html>

## Access

1. HTTP Basic Authentication

## Methods

[ [Jump to Models](#) ]

## Table of Contents

### [ActivityResource](#)

- [GET /ActivityResources/IfsApp.ActivityResourceAssignmentService.ActivityResource.Default\(\)](#)

### [ActivityResources](#)

- [GET /ActivityResources](#)
- [POST /ActivityResources](#)
- [DELETE /ActivityResources\(ResourceSeqNo={ResourceSeqNo}\)](#)
- [GET /ActivityResources\(ResourceSeqNo={ResourceSeqNo}\)](#)
- [PATCH /ActivityResources\(ResourceSeqNo={ResourceSeqNo}\)](#)

## ActivityResource

[GET /ActivityResources/IfsApp.ActivityResourceAssignmentService.ActivityResource.Default](#) Up

Invoke function Default (activityResourcesIfsAppActivityResourceAssignmentServiceActivityResourceDefaultGet)

### Request headers

### Query parameters

#### \$select (optional)

*Query Parameter* – Order items by property values, see [http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\\_SystemQueryOptionorderby](http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec_SystemQueryOptionorderby)>OData Sorting</a>

### Return type

[ActivityResource](#)

### Example data

Content-Type: application/json

```
{
  "ResourceSeqNo" : 1,
  "Company" : "It is a Text",
  "SubProjectId" : "It is a Text",
  "ProjectId" : "It is a Text",
  "keyref" : "It is a Text",
  "ActivitySeq" : 1,
  "QtyUsed" : 1,
  "Objgrants" : "It is a Text",
  "ETag" : "It is a Text",
  "ResourceId" : "It is a Text",
  "luname" : "It is a Text",
  "QtyPlanned" : 1,
  "ActivityNo" : "It is a Text"
}
```

### Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

### Responses

200

response body for function Default [ActivityResource](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

## ActivityResources

[GET /ActivityResources](#) Up

Get entities from ActivityResources (activityResourcesGet)

### Query parameters

#### \$top (optional)

*Query Parameter* – Show only the first n items, see <http://docs.oasis->

open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\_SystemQueryOptiontop">OData  
Paging - Top</a>

#### \$skip (optional)

*Query Parameter* – Skip the first n items, see <a href="http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\_SystemQueryOptionskip">OData  
Paging - Skip</a>

#### \$count (optional)

*Query Parameter* – Include count of items, see <a href="http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\_SystemQueryOptioncount">OData  
Count</a>

#### \$filter (optional)

*Query Parameter* – Filter items by property values, see <a href="http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\_SystemQueryOptionfilter">OData  
Filtering</a>

#### \$orderby (optional)

*Query Parameter* – Order items by property values, see <a href="http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\_SystemQueryOptionorderby">OData  
Sorting</a>

#### \$select (optional)

*Query Parameter* – Order items by property values, see <a href="http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\_SystemQueryOptionorderby">OData  
Sorting</a>

## Return type

[inline response 200](#)

## Example data

Content-Type: application/json

```
{
  "value" : [ {
    "ResourceSeqNo" : 1,
    "Company" : "It is a Text",
    "SubProjectId" : "It is a Text",
    "ProjectId" : "It is a Text",
    "keyref" : "It is a Text",
    "ActivitySeq" : 1,
    "QtyUsed" : 1,
    "Objgrants" : "It is a Text",
    "ETag" : "It is a Text",
    "ResourceId" : "It is a Text",
    "luname" : "It is a Text",
    "QtyPlanned" : 1,
    "ActivityNo" : "It is a Text"
  }, {
    "ResourceSeqNo" : 1,
    "Company" : "It is a Text",
    "SubProjectId" : "It is a Text",
    "ProjectId" : "It is a Text",
    "keyref" : "It is a Text",
    "ActivitySeq" : 1,
    "QtyUsed" : 1,
    "Objgrants" : "It is a Text",
    "ETag" : "It is a Text",
    "ResourceId" : "It is a Text",
    "luname" : "It is a Text",
    "QtyPlanned" : 1,
    "ActivityNo" : "It is a Text"
  } ]
}
```

## Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

## Responses

200

response body for entity array ActivityResource [inline response 200](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

## POST /ActivityResources

Add new entity to ActivityResources ( [activityResourcesPost](#))

## Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

## Request body

body [ActivityResource-Insert](#) (optional)

*Body Parameter* – request body for inserting entity type ActivityResource

## Request headers

### Return type

[ActivityResource](#)

### Example data

Content-Type: application/json

```
{
  "ResourceSeqNo" : 1,
  "Company" : "It is a Text",
  "SubProjectId" : "It is a Text",
  "ProjectId" : "It is a Text",
  "keyref" : "It is a Text",
  "ActivitySeq" : 1,
  "QtyUsed" : 1,
  "Objgrants" : "It is a Text",
  "ETag" : "It is a Text",
  "ResourceId" : "It is a Text",
  "luname" : "It is a Text",
  "QtyPlanned" : 1,
  "ActivityNo" : "It is a Text"
}
```

### Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

### Responses

201

response body for entity type ActivityResource [ActivityResource](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

## DELETE /ActivityResources (ResourceSeqNo={ResourceSeqNo})

Delete entity from ActivityResources ( activityResourcesResourceSeqNoResourceSeqNoDelete)

### Path parameters

**ResourceSeqNo (required)**

*Path Parameter* – key: ResourceSeqNo

### Request headers

### Return type

String

### Example data

Content-Type: application/json

```
""
```

### Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- text/plain

### Responses

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

## GET /ActivityResources (ResourceSeqNo={ResourceSeqNo})

Get entity from ActivityResources by key ( activityResourcesResourceSeqNoResourceSeqNoGet)

### Path parameters

**ResourceSeqNo (required)**

*Path Parameter* – key: ResourceSeqNo

### Query parameters

**\$select (optional)**

*Query Parameter* – Order items by property values, see <a href="http://docs.oasis-open.org/odata/odata/v4.01/odata-v4.01-part1-protocol.html#sec\_SystemQueryOptionorderby">ODATA Sorting</a>

### Return type

[ActivityResource](#)

### Example data

Content-Type: application/json

```
{
  "ResourceSeqNo" : 1,
  "Company" : "It is a Text",
  "SubProjectId" : "It is a Text",
  "ProjectId" : "It is a Text",
  "keyref" : "It is a Text",
  "ActivitySeq" : 1,
  "QtyUsed" : 1,
  "Objgrants" : "It is a Text",
  "ETag" : "It is a Text",
  "ResourceId" : "It is a Text",
  "luname" : "It is a Text",
  "QtyPlanned" : 1,
  "ActivityNo" : "It is a Text"
}
```

#### Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

#### Responses

200

response body for entity type ActivityResource [ActivityResource](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

## PATCH /ActivityResources (ResourceSeqNo={ResourceSeqNo})

Up

Update entity in ActivityResources (activityResourcesResourceSeqNoResourceSeqNoPatch)

#### Path parameters

##### ResourceSeqNo (required)

*Path Parameter* – key: ResourceSeqNo

#### Consumes

This API call consumes the following media types via the Content-Type request header:

- application/json

#### Request body

##### body [ActivityResource-Update](#) (optional)

*Body Parameter* – request body for updating entity type ActivityResource

#### Request headers

#### Return type

[ActivityResource](#)

#### Example data

Content-Type: application/json

```
{
  "ResourceSeqNo" : 1,
  "Company" : "It is a Text",
  "SubProjectId" : "It is a Text",
  "ProjectId" : "It is a Text",
  "keyref" : "It is a Text",
  "ActivitySeq" : 1,
  "QtyUsed" : 1,
  "Objgrants" : "It is a Text",
  "ETag" : "It is a Text",
  "ResourceId" : "It is a Text",
  "luname" : "It is a Text",
  "QtyPlanned" : 1,
  "ActivityNo" : "It is a Text"
}
```

#### Produces

This API call produces the following media types according to the Accept request header; the media type will be conveyed by the Content-Type response header.

- application/json
- text/plain

#### Responses

200

response body for entity type ActivityResource [ActivityResource](#)

202

Accepted [String](#)

204

No Content [String](#)

403

Forbidden [String](#)

404

Not found [String](#)

## Models

[ [Jump to Methods](#) ]

## Table of Contents

- [1. ActivityResource](#)
- [2. ActivityResource-Insert - ActivityResource for insert](#)
- [3. ActivityResource-Update - ActivityResource for create](#)
- [4. ConfigEntityDec](#)
- [5. EntityDec](#)
- [6. FndDynamicAssistSetup](#)
- [7. FndDynamicAssistStep](#)
- [8. FndDynamicCommandDef](#)
- [9. FndDynamicNextStep](#)
- [10. ProjResDurationType\\_Enumeration](#)
- [11. ProjectSpreadTypeRes\\_Enumeration](#)
- [12. StreamInfoRec](#)
- [13. inline\\_response\\_200](#)

### ActivityResource

[Up](#)

Etag (optional)

[String](#)

example: It is a Text

luname (optional)

[String](#)

example: It is a Text

keyref (optional)

[String](#)

example: It is a Text

Objgrants (optional)

[String](#)

example: It is a Text

ResourceSeqNo (optional)

[BigDecimal](#)

example: 1

Company (optional)

[String](#)

example: It is a Text

ActivitySeq (optional)

[BigDecimal](#)

example: 1

QtyPlanned (optional)

[BigDecimal](#)

example: 1

QtyUsed (optional)

[BigDecimal](#)

example: 1

ProjectId (optional)

[String](#)

example: It is a Text

SubProjectId (optional)

[String](#)

example: It is a Text

ResourceId (optional)

[String](#)

example: It is a Text

ActivityNo (optional)

[String](#)

example: It is a Text

### ActivityResource-Insert - ActivityResource for insert

[Up](#)

ResourceSeqNo (optional)

[BigDecimal](#)

example: 1

Company (optional)

[String](#)

example: It is a Text

ActivitySeq (optional)

[BigDecimal](#)

example: 1

QtyPlanned (optional)

[BigDecimal](#)

example: 1

QtyUsed (optional)

[BigDecimal](#)

example: 1

ProjectId (optional)

[String](#)

example: It is a Text

SubProjectId (optional)

[String](#)

example: It is a Text

ResourceId (optional)

[String](#)

example: It is a Text

ActivityNo (optional)

[String](#)

example: It is a Text

#### ActivityResource-Update - ActivityResource for create

[Up](#)

Company (optional)

[String](#)

example: It is a Text

ActivitySeq (optional)

[BigDecimal](#)

example: 1

QtyPlanned (optional)

[BigDecimal](#)

example: 1

QtyUsed (optional)

[BigDecimal](#)

example: 1

ProjectId (optional)

[String](#)

example: It is a Text

SubProjectId (optional)

[String](#)

example: It is a Text

ResourceId (optional)

[String](#)

example: It is a Text

ActivityNo (optional)

[String](#)

example: It is a Text

#### ConfigEntityDec

[Up](#)

ETag (optional)

[String](#)

example: It is a Text

Info (optional)

[String](#)

example: It is a Text

Attr (optional)

[String](#)

example: It is a Text

#### EntityDec

[Up](#)

ETag (optional)

[String](#)

example: It is a Text

Info (optional)

[String](#)

example: It is a Text

Attr (optional)

[String](#)

example: It is a Text

#### FndDynamicAssistSetup

[Up](#)

Label (optional)

[String](#)

example: It is a Text

Description (optional)

[String](#)

example: It is a Text

Entity (optional)

[String](#)

example: It is a Text

InitMetaFunction (optional)

[String](#)

example: It is a Text

StepsMetaFunction (optional)

[String](#)

example: It is a Text

FinishMetaFunction (optional)

[String](#)

example: It is a Text

NextStepFunction (optional)

[String](#)

example: It is a Text

NumberOfSteps (optional)

[BigDecimal](#)

example: 1

StartStep (optional)

[BigDecimal](#)

example: 1

**Label (optional)**

[String](#)

*example: It is a Text*

**StepLabel (optional)**

[String](#)

*example: It is a Text*

**Entity (optional)**

[String](#)

*example: It is a Text*

**Description (optional)**

[String](#)

*example: It is a Text*

**Name (optional)**

[String](#)

*example: It is a Text*

**Datatype (optional)**

[String](#)

*example: It is a Text*

**ControlType (optional)**

[String](#)

*example: It is a Text*

**MultiLine (optional)**

[Boolean](#)

*example: true*

**BindAttribute (optional)**

[String](#)

*example: It is a Text*

**BindAttributeLabel (optional)**

[String](#)

*example: It is a Text*

**SaveAction (optional)**

[String](#)

*example: It is a Text*

**SaveActionParameters (optional)**

[String](#)

*example: It is a Text*

**ProjectionName (optional)**

[String](#)

*example: It is a Text*

**DefaultValue (optional)**

[String](#)

*example: It is a Text*

**Required (optional)**

[Boolean](#)

*example: true*

**Enumeration (optional)**

[String](#)

*example: It is a Text*

**Reference (optional)**

[String](#)

*example: It is a Text*

**Visible (optional)**

[Boolean](#)

*example: true*

**Enabled (optional)**

[Boolean](#)

*example: true*

**RemarkNeeded (optional)**

[Boolean](#)

*example: true*

**RemarkAttribute (optional)**

[String](#)

*example: It is a Text*

**RemarkAttributeLabel (optional)**

[String](#)

*example: It is a Text*

**TerminateAllowed (optional)**

[Boolean](#)

*example: true*

**DynamicLovOptions (optional)**

[String](#)

*example: It is a Text*

**FinishEnabled (optional)**

[Boolean](#)

*example: true*

**Editable (optional)**

[Boolean](#)

*example: true*

**DefaultClobValue (optional)**

[String](#)

**BlobUploadCommand (optional)**

[String](#)

example: It is a Text

PreviousStepAction (optional)

[String](#)

example: It is a Text

PreviousActionParameters (optional)

[String](#)

example: It is a Text

#### FndDynamicCommandDef

[Up](#)

Method (optional)

[String](#)

example: It is a Text

ArgName (optional)

[String](#)

example: It is a Text

ArgValue (optional)

[String](#)

example: It is a Text

Result (optional)

[String](#)

example: It is a Text

Assign (optional)

[String](#)

example: It is a Text

Next (optional)

[String](#)

example: It is a Text

Baund (optional)

[Boolean](#)

example: true

Name (optional)

[String](#)

example: It is a Text

Projection (optional)

[String](#)

example: It is a Text

Params (optional)

[String](#)

example: It is a Text

#### FndDynamicNextStep

[Up](#)

NextStep (optional)

[BigDecimal](#)

example: 1

DefaultValue (optional)

[String](#)

example: It is a Text

TerminateInfo (optional)

[String](#)

example: It is a Text

#### ProjResDurationType\_Enumeration

[Up](#)

#### ProjectSpreadTypeRes\_Enumeration

[Up](#)

#### StreamInfoRec

[Up](#)

FileName (optional)

[String](#)

example: It is a Text

MimeType (optional)

[String](#)

example: It is a Text

#### inline\_response\_200

[Up](#)

value (optional)

[array\[ActivityResource\]](#)